




FIG. 3







6/60

FIG. 7A

ZZZZZ.BDMV









FIG. 7B ZZZZZ.BD-J




















title #2 TIME AXIS **RUN ATTRIBUTE RUN ATTRIBUTE** AutoRun Persistent **Persistent** AutoRun **[erminate**] Terminate title #1 APPLICATION MANAGEMENT TABLE title #2 APPLICATION MANAGEMENT TABLE application #2 application ID application #3 application ID application #3 application #1 application #1 LIFE CYCLE application #2 LIFE CYCLE application #3 LIFE CYCLE title #1 TIME AXIS LIFE CYCLE LIFE CYCLE title #2 title#1 title #1 title #1 Run Call FIG. 13A FIG. 13B Run Run

POWER IS NOT ALLOCATED

OCCUPIED, BUT CPU


Terminate **RUN ATTRIBUTE RUN ATTRIBUTE Persistent Persistent** Suspend title #3 APPLICATION MANAGEMENT TABLE title #2 APPLICATION MANAGEMENT TABLE title#3 TIME AXIS application #2 application #2 application #1 application ID application ID erminate --×(Resume) LIFE CYCLE LIFE CYCLE title #2 title #2 **RESOURCES ARE** title #3 title #2 TIME AXIS **Suspend RUN ATTRIBUTE** AutoRun AutoRun title #1 APPLICATION MANAGEMENT TABLE title #1 TIME AXIS application ID application #1 application #2 Run Run JFE CYCLE application #2 (application #1 LIFE CYCLE title #1 title #1 FIG. 14A FIG. 14B

14/60

FIG. 15

CHANGE IN APPLICATION STATUS ACCORDING TO RUN ATTRIBUTES

			Run Attribute	
		Persistent	AutoRun	Suspend
	Not Run	Maintain status without performing operation	Run Application	Maintain status without performing operation
Application Status in Previous Title	Running	Maintain status without Maintain status without performing operation	¥	Suspend
	Suspend	Resume	Resume	Maintain status without performing operation



16/60




FIG. 18







FIG. 19



19/60





21/60








FIG. 23








RUN ATTRIBUTE RUN PRIORITY LEVEL 128 128 255 AutoRun AutoRun AutoRun APPLICATION MANAGEMENT TABLE application #2 application ID application #3 application #1 title #1: chapter #4-#6 title #1: chapter #2-#3 LIFE CYCLE title #1 FIG. 25A



















FIG. 30B EXCEPTIONAL PROCESSING IN BD-J OBJECT EXECUTION












34/60







FIG. 37








FIG. 39








40/60

<
_
4
G.
正

title #	title #1 DATA MANAGEMENT	ENT TABLE		title #7	title #2 DATA MANAGEMENT TABLE	ENT TABLE
LIFE CYCLE	application ID	E S	READ PRIORITY LEVEL	LIFE CYCLE	application ID	O ATTRIBUTE READ PRIORITY LEVEL LIFE CYCLE application ID READ ATTRIBUTE READ PRIORITY LEVEL
title #1	application #1			title #1	application #1	
title #1	application #2			title #2	application #2	









43/60

FIG. 44A title #1 DATA MANAGEMENT TABLE

LIFE CYCLE	application ID	READ ATTRIBUTE	READ ATTRIBUTE READ PRIORITY LEVEL
title #1	application #1	Preload	mandatory
title #1:chapter #1-#2	application #2	Load	optional
title #1:chapter #4-#5	application #3	Load	optional





45/60







FIG. 47A title #1 DATA MANAGEMENT TABLE


LIFE CYCLE	application ID	READ ATTRIBUTE	READ ATTRIBUTE READ PRIORITY
title #1	application #1	Preload	mandatory
title #1	application #1	Preload	optional:high
title #1	application #1	Preload	optional:low


FIG. 47B











51/60

FIG. 52A

ZZZZZ. BD-J


resume_intention_flag
menu_Call_Mask
title_search_mask
Application Management Table(AMT)
Data Management Table(DMT)
PlayList Management Table(PLMT)


FIG. 52B


PL MANAGEMENT TABLE

PLAYLIST ID	PLAYBACK ATTRIBUTE
	Auto Play

FIG. 52C










FIG. 56A

APPLICATION AND DATA MANAGEMENT TABLE

LIFE CYCLE	application ID	RUN ATTRIBUTE	RUN ATTRIBUTE READ PRIORITY LEVEL
title #1	application #1	AutoRun	
title #1:chapter #1-#3	application #2	Ready	
title #1	application #3		
title #1:chapter #2-#4	application #4	Ready	

RUN ATTRIBUTE + READ ATTRIBUTE

FIG. 56E

RUN ATTRIBUTE	PRELOAD BEFORE AV AUTO-RUN STREAM PLAYBACK /CALL RUN	AUTO-RUN /CALL RUN	LOAD TO LOCAL MEMORY	LIVES /DOES NOT LIVE
AutoRun	0	AUTO	NO	LIVES
AutoRun	×	AUTO	YES	LIVES
READY	0	CALL	ON	LIVES
READY	×	CALL	YES	LIVES
NOT SPECIFIED	×	CALL	ON	SIVES




FIG. 58A DATA MANAGEMENT TABLE

ו ובני האטו ב			
	application ID	KEAD A I I KIBU I E KEAD PRIORITY LEVEL	KEAD PRIORITY LEVEL
title #1	application #1	Preload	mandatory
title #1	application #2	Preload	option, 255
title #1	application #3	Preload	option, 128

application #3

A READ ONLY PART OF Option DATA

Application #2

application #3

INBUILT MEMORY
SIZE OF PLAYER

application #2

MINIMUM MEMORY

SIZE OF PLAYER

application #1

SIZE OF PLAYER

Application #1

LOCAL MEMORY

LOCAL MEMORY

58/60

FIG. 58B

FIG. 59A DATA MANAGEMENT TABLE

LIFE CYCLE	application ID	LOAD ATTRIBUTE	LOAD ATTRIBUTE READ PRIORITY LEVEL GROUP ATTRIBUTE	GROUP ATTRIBUTE
title #1	application #1		mandatory	
title #1	application #2		optional	group #1
title #1	application #3		optional	group #1

FIG. 59B

